AGB and AGF Bench and Floor Scales




Ideal for industrial settings, AGB and AGF bench and floor scales feature a stainless steel indicator and sturdy construction, and are available in three platform sizes and a wide selection of capacities. Accomplish weighing and counting tasks quickly, as results are readily visible on the backlit LCD, which offers 1.5in / 40mm-high digits. For maximum efficiency, a tactile keypad offers smooth operation. With an internal rechargeable battery, the AGB/AGF can be used in locations where power is unavailable. Swiftly transmit results to computers or printers using the RS-232 interface. The scales feature external calibration, so verification and adjustments can be performed using weights.

Backlit LCD with sizeable digits means results are easy to read, speeding up weighing tasks







Features

- Backlit display changes color for quick notification of checkweighing limits
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Heavy-duty rubber feet ensure stability of unit
- Large, grade 304 stainless steel pan allows swift cleaning
- Rugged construction stands up to industrial use
- RS-232 interface provides speedy connection to computers and printers
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- External calibration allows for verification and adjustment with weights
- Hold function freezes the displayed weight, allowing time to elapse without losing the result
- Checkweighing with audible alarm
- Parts counting with preset sample sizes
- Preset tare function speeds the process of repetitive weighing
- Selectable digital filtering for animal/dynamic weighing enables consistent results for moving subjects
- 1:1,000,000 Internal counting resolution for precise results
- Adam Connect compatible for Bluetooth® data transfer to printers and PCs
- A 5-year warranty means quality assured for years of use.

Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Check counting
- Display hold
- Net total weighing

Adam is the answer.

For more than half a century, Adam has been the answer when accuracy is the priority. Adam scales and balances provide precision solutions for professionals in every industry.

adamequipment.com

©2026 Adam Equipment

Product details

Model	AGB 16a	AGB 35a	AGB 65a	AGB 175a	AGB 260a	AGF 175a	AGF 350a	AGF 660a
Capacity	16lb / 8kg	35lb / 16kg	65lb / 30kg	175lb / 80kg	260lb / 120kg	175lb / 80kg	350lb / 160kg	660lb / 300kg
Readability	0.0005lb / 0.2g	0.001lb / 0.5g	0.002lb / 1g	0.005lb / 2g	0.01lb / 5g	0.005lb / 2g	0.01lb / 5g	0.02lb / 0.01kg
Pan Size	15.7" x 11.8" / 400 x 300mm					19.7" x 15.7" / 500 x 400mm		
Weighing Units	g,kg,lb,lb:oz,oz,N							
Stabilization Time (sec)	2							
Interface	RS-232							
Calibration	External calibration							
Display	Backlit LCD with 1.6" / 40mm high digits							
Power Supply	12VDC 800mA adapter / Internal rechargeable battery Input Voltage: 100-240V 50-60Hz 0.4A							
Housing	Stainless steel indicator with die-cast aluminum base							
Overall Dimensions	11.8"x20.1"x26.8" / 300x510x680mm					15.7"x24.4"x33.7" / 400x620x855mm		
Net Weight	24.2lb / 11kg					39.7lb / 18kg		

Model	AGF 1320a
Capacity	1320lb / 600kg
Readability	0.05lb / 0.02kg
Pan Size	31.5" x 23.6" / 800 x 600mm
Weighing Units	g,kg,lb,lb:oz,oz,N
Stabilization Time (sec)	2
Interface	RS-232
Calibration	External calibration
Display	Backlit LCD with 1.6" / 40mm high digits
Power Supply	12VDC 800mA adapter / Internal rechargeable battery Input Voltage: 100-240V 50-60Hz 0.4A
Housing	Stainless steel indicator with die-cast aluminum base
Overall Dimensions	23.6"x36.8"x34.6" / 600x935x880mm
Net Weight	77.1lb / 35kg

Adam follows a policy of continuous improvement and reserves the right to change specification and pricing without notice. Standard terms and conditions of sale apply. Errors and omissions excepted.

©2026 Adam Equipment

Product details

Accessories

Item Number	Description
3104012701	RS-232 to AE 403 Cable (4F-9F) 6 foot - 3104012701
3074010507	RS-232 to USB adapter
3004013214	Light tower kit including relay box
1120014641	AIP impact printer
1100011297	Relay box
600002028	AdamDU Data Collection Program
1140013826	Roller deck (15.7" x 11.8")
1140013827	Roller deck (19.7" x 15.7")
1140013828	Roller deck (31.5" x 23.6")
700660290	Calibration certificate
1120015779	ATP 2 Thermal Printer
3014012701	RS-232 to AE 403 Adaptor (4F-9F) 6
3126011263	inch-3014012701
3126011281	ATP thermal printer paper
3126014659	ATP thermal printer paper (pack of 10)
3126014660	AIP printer paper
700400103	AIP printer paper (10 Pack)
700660288	RS-232 to AE 403 Cable (4F-9F) 6 foot
BTM	Calibration certificate
	Adam Connect

Key accessories



Roller deck (15.7" x 11.8")

Roller decks fit directly atop bench and floor weighing platforms for easy installation. Galvanized steel rollers rotate in two different orientations for convenient loading and offloading.



ATP 2 Thermal Printer

The ATP2 is a compact general purpose thermal roll printer that connects via RS-232 interface to Adam scales and balances.

In the box

Models supplied with:

- Power adapter
- Manual on CD
- scale / balance

Supplied by

Adam follows a policy of continuous improvement and reserves the right to change specification and pricing without notice. Standard terms and conditions of sale apply. Errors and omissions excepted.

©2026 Adam Equipment