

Cruiser® CCT Bench Counting Scales



With easy operation and a durable design, the Cruiser counting scale provides a powerful solution for industrial needs







Features

- Backlit LCD shows weight, unit weight and count in one convenient location
- Colour-coded keys facilitate quick recognition of the most frequently used buttons
- RS-232 interface provides speedy connection to computers and printers
- Optional USB interface simplifies data communication
- Solid ABS housing is durable for industrial use
- Adjustable levelling feet help optimise setup
- AC adapter included
- Programmable auto power-off to save energy
- Rechargeable battery included for operation almost anywhere
- Built-in memory for storing products and settings
- External calibration allows for verification and adjustment with weights
- 1:1,600,000 Internal counting resolution for precise results
- Parts counting optimisation automatically refines piece weight as parts are added
- Parts counting with freely selectable sample sizes
- Preset tare function speeds the process of repetitive weighing
- Programmable for counting to a preset number of parts
- Product look up (PLU) memory locations store a range of items for recall
- Adam Connect compatible for Bluetooth® data transfer to printers and PCs

Applications

- Weighing
- Parts counting
- Check counting
- Net total weighing

Adam is the answer.

For more than half a century, Adam has been the answer when accuracy is the priority. Adam scales and balances provide precision solutions for professionals in every industry.

adamequipment.com

©2026 Adam Equipment

Product details

Model	CCT 4	CCT 8	CCT 16	CCT 32	CCT 48	CCT 8UH	CCT 16UH	CCT 32UH
Capacity	4kg	8kg	16kg	32kg	48kg	8kg	16kg	32kg
Readability	0.1g	0.2g	0.5g	1g	2g	0.05g	0.1g	0.2g
Pan Size	300x210mm							
Weighing Units	g,kg,lb							
Stabilisation Time (sec)	2							
Interface	RS-232/Optional USB							
Calibration	External calibration							
Display	Backlit LCD with 15mm high digits							
Power Supply	12VDC 800mA adapter / Internal rechargeable battery Input Voltage: 100-240V 50-60Hz 0.4A							
Housing	ABS plastic							
Overall Dimensions	315x355x120mm							
Net Weight	4kg							

Model	CCT 48UH
Capacity	48kg
Readability	0.5g
Pan Size	300x210mm
Weighing Units	g,kg,lb
Stabilisation Time (sec)	2
Interface	RS-232/Optional USB
Calibration	External calibration
Display	Backlit LCD with 15mm high digits
Power Supply	12VDC 800mA adapter / Internal rechargeable battery Input Voltage: 100-240V 50-60Hz 0.4A
Housing	ABS plastic
Overall Dimensions	315x355x120mm
Net Weight	4kg

Accessories

Item Number	Description
302013912	Hard carrying case with lock
3022013911	In-use cover
2020013913	In-use cover (pack of 5)
2020013914	In-use cover (pack of 10)
3074010267	USB cable A-B
2020013915	USB port option (type B)
3014011014	RS-232 cable 9M-9F
1120015779	ATP 2 Thermal Printer
1120014641	AIP impact printer
600002028	AdamDU Data Collection Program
700660290	Standard Calibration Certificate
3074010507	RS-232 to USB adapter
303149759	Large Scoop (complete with fitting to scales)
303149760	Small Scoop (complete with fitting to scales)
3126011263	ATP thermal printer paper
3126011281	ATP thermal printer paper (pack of 10)
3126014659	AIP printer paper
3126014660	AIP printer paper (10 Pack)

Key accessories



Hard carrying case with lock

Protect your CBK/CBC/CBD/AZextra/CCEU during transportation with this durable hard carrying case with lock.



ATP 2 Thermal Printer

The ATP2 is a compact general purpose thermal roll printer that connects via RS-232 interface to Adam scales and balances.

Adam follows a policy of continuous improvement and reserves the right to change specification and pricing without notice. Standard terms and conditions of sale apply. Errors and omissions excepted.

©2026 Adam Equipment

Product details

In the box

Models supplied with:

- Power adapter
- Manual on CD
- scale / balance

Supplied by

Adam follows a policy of continuous improvement and reserves the right to change specification and pricing without notice. Standard terms and conditions of sale apply. Errors and omissions excepted.

©2026 Adam Equipment