



The GBC is a fully featured counting scale with numeric keypad for unit weight and sample entry. The large, brightly backlit display shows unit weight, total weight and number of pieces. With a grade 304 stainless steel pan and pillar-mounted ABS plastic indicator, the GBC provides a durable, reliable solution for industrial counting tasks. Power is supplied by a mains power cord or the built-in, rechargeable battery.

Exceptional durability for industrial counting needs



Features

- Backlit LCD shows weight, unit weight and count in one convenient location
- Programmable backlight can be set to “always on,” “always off” or “light only when weighing”
- Adjustable levelling feet help optimise setup
- Colour-coded keys facilitate quick recognition of the most frequently used buttons
- RS-232 interface is available to provide speedy connection to computers and printers
- Rugged construction stands up to industrial use
- Splash-proof housing, keypad and display are easy to clean
- Audible overload alarm warns when capacity is exceeded
- External calibration allows for verification and adjustment with weights
- Internal counting resolution 1:600,000 for precise results
- Parts counting with freely selectable sample sizes
- Parts counting optimisation automatically refines piece weight as parts are added
- Preset tare function speeds the process of repetitive weighing
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Zero-tracking feature ensures display returns to zero reading
- User can program alarm to sound when preset total is reached
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy

Applications

- Weighing
- Parts counting
- Check counting

About ADAM:

For more than 40 years, professionals worldwide have relied on Adam Equipment for an extensive selection of dependable and affordable weighing equipment. Adam provides the right balance of speed, performance and value.

Model	GBC 16	GBC 32	GBC 60
Capacity	16kg	32kg	60kg
Readability	0.5g	1g	2g
Repeatability (S.D.)	1g	2g	4g
Linearity (+/-)	1g	2g	4g
Internal Counting Resolution	1:600,000		
Pan Size	300x400mm		
Weighing Units	kg		
Stabilisation Time (sec)	2		
Interface	RS-232, Optional USB		
Calibration	External calibration		
Display	Backlit LCD with 20mm -high digits		
Power Supply	Mains power cord / Internal rechargeable battery		
Operating Temperature	-10° to 40°C		
Housing	Mild steel base		
Overall Dim.	300x520x680mm (wxdxh)		
Net Weight	7.6kg		

Accessories

Item number	Description
3052010526	In-use wet cover
3074010266	RS-232 cable (null-modem)
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)
1120011156	ATP thermal printer
3126011263	ATP thermal printer paper
3126011281	ATP thermal printer paper (pack of 10)
600002028	AdamDU data collection program
700200107	Casters / wheels (set of 4)
700660290	Calibration certificate

Key Accessories



ATP thermal printer

Easy-to-use features combined with quick set-up equals a truly versatile thermal printer. A single push-button feed key and three easy-to-read LED indicators make operation simple.



Adam DU data collection program

Adam DU software connects a balance to the laboratory network, helping to achieve seamless data collection, transfer and analysis. DU features an easy-to-use interface with a main command window, allowing users to quickly collect information from up to eight Adam balances simultaneously using RS-232 or USB connections.



Casters / Wheels

Optional caster wheels provide easy mobility for bench and floor scales. A brake lock prevents movement during use.

Supplied by