
Gladiator Washdown Scales



Combining durability and performance, Gladiator scales achieve washdown weighing tasks in the most demanding food, pharmaceutical and industrial applications. With an IP68 rating for washdown capabilities, Gladiator features easy-to-clean stainless steel construction that is ideal for wet and dusty environments. Connectors on the bottom are IP68-rated for thorough protection. Gladiator expedites checkweighing with a large, backlit display that changes color to show if the weight is over, under or within the set limit. Designed for maximum efficiency, Gladiator features a tactile keypad with large, color-coded keys for easy operation.

IP68 rating means industrial-strength washdown protection







Features

- IP68-rated for protection against water and dust
- Backlit display changes color for quick notification of checkweighing limits
- Large, grade 304 stainless steel pan allows swift cleaning
- Rugged stainless steel construction for ultimate durability
- Heavy-duty rubber feet ensure stability of unit
- Sealed keypad protects against dirt and spills
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- RS-232 interface provides speedy connection to computers and printers
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- External calibration allows for verification and adjustment with weights
- Hold function freezes the displayed weight, allowing time to elapse without losing the result
- Parts counting with preset sample sizes
- Preset tare function speeds the process of repetitive weighing
- Selectable digital filtering for animal/dynamic weighing enables consistent results for moving subjects
- 1:1,000,000 Internal counting resolution for precise results
- Adam Connect compatible for Bluetooth® data transfer to printers and PCs
- A 5-year warranty means quality assured for years of use.

Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Check counting
- Display hold
- Dynamic / animal weighing
- Accumulation

Adam is the answer.

For more than half a century, Adam has been the answer when accuracy is the priority. Adam scales and balances provide precision solutions for professionals in every industry.

adamequipment.com

©2026 Adam Equipment

Product details

Model	GGS 16a	GGS 35a	GGS 65a	GGB 65a	GGB 65aH	GGB 165a	GGF 165a	GGF 165aH
Capacity	16lb / 8kg	35lb / 16kg	65lb / 30kg			165lb / 75kg		
Readability	0.001lb / 0.5g	0.002lb / 1g	0.005lb / 2g		0.002lb / 1g	0.01lb / 5g		0.005lb / 2g
Pan Size	9.8" x 9.8" / 250 x 250mm			15.7" x 11.8" / 400 x 300mm			19.7" x 15.7" / 500 x 400mm	
Weighing Units	g,kg,lb,lb:oz,oz,N							
Stabilization Time (sec)	2							
Interface	RS-232							
Calibration	External calibration							
Display	Backlit LCD with 1.6" / 40mm high digits							
Power Supply	Internal rechargeable battery / 12VDC 800mA adapter Input Voltage: 100-240V 50-60Hz 0.4A							
Housing	Stainless steel							
Overall Dimensions	11.6"x13.2"x22.4" / 294x335x568mm			11.8"x20.7"x26.3" / 300x525x667mm			15.7"x23.8"x40.7" / 400x605x1034mm	
Net Weight	16.5lb / 7.5kg			26.4lb / 12kg				

Model	GGF 330a	GGL 330a
Capacity	330lb / 150kg	
Readability	0.02lb / 0.01kg	
Pan Size	19.7" x 15.7" / 500 x 400mm	23.6" x 17.7" / 600 x 450mm
Weighing Units	g,kg,lb,lb:oz,oz,N	
Stabilization Time (sec)	2	
Interface	RS-232	
Calibration	External calibration	
Display	Backlit LCD with 1.6" / 40mm high digits	
Power Supply	Internal rechargeable battery / 12VDC 800mA adapter Input Voltage: 100-240V 50-60Hz 0.4A	
Housing	Stainless steel	
Overall Dimensions	15.7"x23.8"x40.7" / 400x605x1034mm	17.7"x27.8"x40.7" / 450x705x1034mm
Net Weight	26.4lb / 12kg	48.5lb / 22kg

Adam follows a policy of continuous improvement and reserves the right to change specification and pricing without notice. Standard terms and conditions of sale apply. Errors and omissions excepted.

©2026 Adam Equipment

Product details

Accessories

Item Number	Description
3104012701	RS-232 to AE 403 Cable (4F-9F) 6 foot - 3104012701
3074010507	RS-232 to USB adapter
3004013214	Light tower kit including relay box
1120014641	AIP impact printer
1100011297	Relay box
600002028	AdamDU Data Collection Program
700660290	Calibration certificate
1120015779	ATP 2 Thermal Printer
3014012701	RS-232 to AE 403 Adaptor (4F-9F) 6
3126011263	inch-3014012701
3126011281	ATP thermal printer paper
3126014659	ATP thermal printer paper (pack of 10)
3126014660	AIP printer paper
3074010266	AIP printer paper (10 Pack)
BTM	RS-232 Cable 9F - 9F (Null Modem)
1140013826	Adam Connect
1140013827	Roller deck (15.7" x 11.8")
1140013828	Roller deck (19.7" x 15.7")
3102014653	Roller deck (31.5" x 23.6")
	AE 403 in use wet cover

Key accessories



Light tower kit including relay box

The relay box is an add-on compatible with AGB, AGF, Gladiator and AE 403a Indicator. This product allows checkweighing limits to trigger a voltage relay, allowing the scale to drive the lights, which quickly show users if a weight is under, over or within a preset limit.



RS-232 to AE 403 Cable (4F-9F) 6 foot - 3104012701

The six-foot-long RS-232 interface cable (4 pin F to 9 Pin F) allows for communication with printers and computers.

In the box

Models supplied with:

- Power adapter
- Manual on CD
- scale / balance

Supplied by

Adam follows a policy of continuous improvement and reserves the right to change specification and pricing without notice. Standard terms and conditions of sale apply. Errors and omissions excepted.

©2026 Adam Equipment